

FIG. 1




FIG. 2

FIG. 3A




FIG. 3A

SERVER-SIDE
SYSTEM

MODEM

SERVICE
PROVIDER

CLIENT




FIG. 3B

CLIENT

SERVICE
PROVIDER

MODEM

SERVER-SIDE
SYSTEM




FIG. 3C

SERVER-SIDE
SYSTEM

MODEM

CLIENT




FIG. 4A

CLIENT

MODEM

SERVER-SIDE
SYSTEM

8/13




FIG. 4B

CLIENT

MODEM

SERVER-SIDE
SYSTEM




FIG. 4C

SERVER
OPERATOR
DNS

SERVICE
PROVIDER
DNS

MODEM

CLIENT




FIG. 5A

CLIENT



MODEM

SERVICE
PROVIDER
DNS











FIG. 5B

SERVER
OPERATOR
DNS



Virtual Private Network System Administration Page

Username

602

Administrator1

Password

604

Token-Code

606

t41g23405

Select Organization

608

Add Corp.

620

SERVER OPERATOR 1
SERVER OPERATOR 2
SERVER OPERATOR 3

Select Users

610

SELECT USER ▼

Status

612

614

ENABLE

616

SUSPEND

618

DELETE

600

FIG. 6